

Torres Espic, S.L.U.
Polígono Industrial de Picassent.
Calle N° 5; Casillero 86
46220 Picassent (Valencia), SPAIN



AITEX
ASOCIACIÓN DE INVESTIGACIÓN DE LA
INDUSTRIA TEXTIL Y COSMÉTICA
CARRETERA DE BANYERES, 10
ES-03802 ALCOY (ALICANTE), SPAIN

Certificate

OEKO-TEX® STANDARD 100

Torres Espic, S.L.U.

is granted the OEKO-TEX® STANDARD 100 certification
and the right to use the trademark.

SCOPE

Flexible polyurethane foams Bassic®, Resilén®, Resilén® Plus and Ikon®, Neropur® (Density: 60 Kg/m³), Mousse Au Neropur® (Density: 40 Kg/m³) and flexible polyurethane foams with Soya oil (Except flame retardant foams), (Density: 20-50 Kg/m³). Flexible polyurethane foams Viscoool® (Density: 50-60 Kg/m³). Flexible polyurethane foams Visco Neropur® (Density: 50 Kg/m³). Flexible polyurethane foams Viscopper® (Density: 50 Kg/m³). Foams in white and dyed. Max height tested: 20 cm.

PRODUCT CLASS

I (baby articles) - Annex 4



STANDARD 100 2002AN3765 AITEX

This certificate 2002AN3765 is valid until
15.12.2025.

SUPPORTING DOCUMENTS

- ✓ Test report : 2024OK3706
- ✓ Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX®
- ✓ OEKO-TEX® Terms of Use (ToU)

Isabel Soriano Sarrío
Laboratories and International Offices Subdirector

Further compliance information (REACH, SVHC, POP, GB18401 etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX® STANDARD 100 that were in force at the time of evaluation.

Alcoy (Alicante) España, 2024-12-26





aitex

textile
technological
institute

COMFORT bed items



Certificate Nº 10/0007

AITEX declares that the material:

From company:

**ACCORDING TO CUSTOMER:
IKON® VISCOELASTIC
POLYURETHANE FOAM
PILLOW CORE**

**TORRES ESPIC, S.L.
Pl. Ind Picassent C/5
46220 Picassent (VALENCIA)**

certificate

According to the results obtained in the report 2010AN1759, where was tested the Water Vapour Resistance according to UNE-EN 31092:1996 standard, the tested sample is:

VERY BREATHABLE

The tested sample preserves its breathability properties after a domestic washing at 60°C according to UNE-EN ISO 6330:2001/A1:2009 standard.

AITEX - Plaza Emilio Sala, 1
03801 Alcoy (Alicante) SPAIN
Tel.: +34 965 542 200
Fax: +34 965 543 494
E-mail: info@aitex.es
www.aitex.es
www.observatoriotextil.com
www.textil.org
www.madeingreen.com

Alcoy, 14th of April 2010

**Raquel Muñoz González
CHIEF OF LABORATORIES AREA**



HygCen GmbH • Postfach 11 01 35 • D-19001 Schwerin



Akkreditiert durch
Zentralstelle der Länder
für Gesundheitsschutz
bei Arzneimitteln
und Medizinprodukten
ZLG-P-715.98.13

Torresespig
Poligono Industrial Picassent
c/No. 5 46220 Picassent (Valencia)

AKS Akkreditierung: AKS-PL-01301
Vollzettel: www.aks-hannover.de
Staatliche Akkreditierungsstelle Hannover

Espana

**Cytotoxicity Test to DIN EN ISO 10993-5
SOP 09-001**

2010-03-01

Test Protocol

Identification of the test laboratory:	RE SN 9916
Delivery date:	20.01.2010
Product:	IKON [®]
Customer:	Torresespig
Test method:	Cytotoxicity of eluates according to the DIN EN ISO 10993-5:2009-10 Biological evaluation of medical devices Part 5: tests for cytotoxicity: in vitro SOP 09-001
Test time period:	25.01.2010 – 27.01.2010
Test conditions:	Examining climate: 20,6 °C / 30 % rel. humidity Incubation: 24 hours The samples were checked in the delivery state.

RE SN 9916 page 1 of 3